



# Webseiten-Bericht für connectsense.com

Generiert am 20 September 2024 05:19 AM

Der Wert ist 52/100



## SEO Inhalte

	<p>Seitentitel</p>	<p>Grid Connect: Your networking products authority.</p> <p><b>Länge : 49</b></p> <p>Perfekt, denn Ihr Seitentitel enthält zwischen 10 und 70 Anzahl Zeichen.</p>										
	<p>Seitenbeschreibung</p>	<p>Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth</p> <p><b>Länge : 236</b></p> <p>Ideal, aber Ihre Seitenbeschreibung sollte zwischen 70 und 160 Zeichen (Leerzeichen incinbegriffen) enthalten. Benutzen Sie <a href="#">dieses kostenlose Werkzeug</a> um die Länge zu prüfen.</p>										
	<p>Suchbegriffe</p>	<p>Nicht so gut. Wir konnten keine META-Suchbegriffe auf Ihrer Webseite finden. Benutzen Sie <a href="#">dieses kostenlose Werkzeug</a> um META-Suchbegriffe zu erzeugen.</p>										
	<p>Og META Eigenschaften</p>	<p>Sehr gut, denn diese Webseite nutzt die Vorteile aus den Og Properties.</p> <table border="1" data-bbox="539 1514 1481 1906"> <thead> <tr> <th>Eigenschaft</th> <th>Inhalt</th> </tr> </thead> <tbody> <tr> <td>site_name</td> <td>Grid Connect</td> </tr> <tr> <td>url</td> <td>https://www.gridconnect.com/</td> </tr> <tr> <td>title</td> <td>Grid Connect: Your networking products authority.</td> </tr> <tr> <td>type</td> <td>website</td> </tr> </tbody> </table>	Eigenschaft	Inhalt	site_name	Grid Connect	url	https://www.gridconnect.com/	title	Grid Connect: Your networking products authority.	type	website
Eigenschaft	Inhalt											
site_name	Grid Connect											
url	https://www.gridconnect.com/											
title	Grid Connect: Your networking products authority.											
type	website											

## SEO Inhalte

description	Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth
image	<a href="http://www.gridconnect.com/cdn/shop/files/logo_10f698e5-76b2-4f8e-9305-cac5b6ab1f81.png?height=628&amp;pad_color=fff&amp;v=1656449209&amp;width=1200">http://www.gridconnect.com/cdn/shop/files/logo_10f698e5-76b2-4f8e-9305-cac5b6ab1f81.png?height=628&amp;pad_color=fff&amp;v=1656449209&amp;w dth=1200</a>
image:secure_url	<a href="https://www.gridconnect.com/cdn/shop/files/logo_10f698e5-76b2-4f8e-9305-cac5b6ab1f81.png?height=628&amp;pad_color=fff&amp;v=1656449209&amp;width=1200">https://www.gridconnect.com/cdn/shop/files/logo_10f698e5-76b2-4f8e-9305-cac5b6ab1f81.png?height=628&amp;pad_color=fff&amp;v=1656449209&amp;w idth=1200</a>
image:width	1200
image:height	628

### Überschriften

H1	H2	H3	H4	H5	H6
1	30	28	12	0	0

- [H1] Engineering your optimal network solution
- [H2] CAN
- [H2] Ethernet
- [H2] Wireless
- [H2] Sensors & Controllers
- [H2] Components / Chips
- [H2] Serial
- [H2] PROFIBUS Products
- [H2] Industrial Protocols
- [H2] IP Intercoms & Paging systems
- [H2] IOT / IIOT
- [H2] Custom/OEM Product Engineering
- [H2] Complete Development Partner
- [H2] Complete End-to-End IoT Solutions
- [H2] Custom/OEM Product Engineering
- [H2] Complete Development Partner
- [H2] Complete End-to-End IoT Solutions
- [H2] Shop by Category
- [H2] Featured Products
- [H2] Custom IoT to Fit Your Needs
- [H2] Real-world application experts
- [H2] Your custom engineering & manufacturing partner
- [H2] Trusted by customers worldwide
- [H2] Recent News
- [H2] Added to Cart
- [H2] Shop for
- [H2] Support
- [H2] Grid Connect
- [H2] Resources
- [H2] Social
- [H2] Receive 10% off your next web order when you subscribe

## SEO Inhalte

- [H3] CAN
- [H3] Wireless
- [H3] IoT Smart Devices
- [H3] Serial
- [H3] Ethernet
- [H3] PROFIBUS
- [H3] Sensors & Controllers
- [H3] IP Intercoms
- [H3] Industrial Protocols
- [H3] OEM Chips & Modules
- [H3] PCAN-MicroMod FD ECU - Universal, Configurable Control Unit, I/O & CAN FD
- [H3] GRID45 with EtherNet/IP Extended Temperature
- [H3] Atlas2 Plus - Industrial Diagnostic Solution
- [H3] CANnector L & LE - Configurable automotive platform (8xCAN, EtherCAT option)
- [H3] Rebooter - Constantly Monitor Internet Connections
- [H3] GRID485 Serial Tunnel - Ethernet to RS485/422 Device Server
- [H3] GRID485-MB - Modbus TCP to Modbus RTU/ASCII RS485 Device Server
- [H3] ProfiHub B2FOR+ - Fiber Optic Ring with RS485 Redundancy
- [H3] ESP32-WROVER-E - WI-FI/BT/BLE Module, PCB Antenna
- [H3] ProfiHub B4FOR+ - Fiber Optic Ring with RS485 Redunancy
- [H3]
- [H3]
- [H3]
- [H3]
- [H3] Introducing GRID485: A Smarter Way to Bridge Serial to Ethernet
- [H3] Enhancing IoT Security: Essential Measures for Protecting Your Devices
- [H3] Advanced Remote Monitoring for Industrial Ethernet Networks
- [H3] Title
- [H4] Jumpstarting smart technology
- [H4] Detecting mechanical degradation
- [H4] Monitoring real-time performance
- [H4] Anywhere control of the home environment
- [H4] Smart home technology integration
- [H4] New sophistication for low tech products
- [H4] Meeting production deadlines
- [H4] Unleashing smart power
- [H4] Developing feature requests
- [H4] Meeting demand for smart home technology
- [H4] Enhancing product and customer experience
- [H4] Features to help customers save water and time






Bilder





Es konnten 105 Bilder auf dieser Webseite gefunden werden.

Bei 75 Bilder(n) fehlt ein ALT-Attribut. Fügen Sie ALT-Attribute zu Ihren Bildern, um die Bedeutung der Bilder für Suchmaschinen zugänglich zu machen.

## SEO Inhalte

	Text/HTML Verhältnis	Anteil : <b>14%</b>  Das Text zu HTML Code Verhältnis dieser Webseite ist niedriger als 15 Prozent, was bedeutet, dass Sie mehr Inhalte für Ihre Webseite schreiben sollten.
	Flash	Perfekt, denn es wurde kein Flash auf Ihrer Webseite gefunden.
	IFrame	Großartig, denn Sie verwenden keine IFrames auf Ihrer Webseite.

## SEO Links

	URL Rewrite	Gut. Ihre Links sind für Suchmaschinen gut lesbar (sprechende Links)!
	Underscores in the URLs	Perfekt! Wir haben keine Unterstriche in Ihren Links entdeckt.
	In-page links	We found a total of 125 links including 1 link(s) to files
	Statistics	Externe Links : noFollow 0%  Externe Links : natürliche Links 4%  Interne Links 96%

## In-page links

Anker	Typ	Natürlich
<a href="#">Skip navigation</a>	intern	natürliche Links
<a href="#">Products</a>	intern	natürliche Links
<a href="#">CAN FD</a>	intern	natürliche Links
<a href="#">PC Interfaces</a>	intern	natürliche Links
<a href="#">PC/104 &amp; PCI/104 CARDS</a>	intern	natürliche Links
<a href="#">Couplers &amp; Converters</a>	intern	natürliche Links

## In-page links

<a href="#">I/O Modules</a>	intern	natürliche Links
<a href="#">Routers &amp; Gateways</a>	intern	natürliche Links
<a href="#">Diagnostics</a>	intern	natürliche Links
<a href="#">Software</a>	intern	natürliche Links
<a href="#">Cables &amp; Connectors &amp; Terminators</a>	intern	natürliche Links
<a href="#">CAN Data Logging</a>	intern	natürliche Links
<a href="#">Adapters</a>	intern	natürliche Links
<a href="#">Bridges</a>	intern	natürliche Links
<a href="#">Switches</a>	intern	natürliche Links
<a href="#">Power Over Ethernet</a>	intern	natürliche Links
<a href="#">IP Intercom</a>	intern	natürliche Links
<a href="#">Speakers &amp; Call Stations</a>	intern	natürliche Links
<a href="#">Adapters &amp; Device Servers</a>	intern	natürliche Links
<a href="#">Chips &amp; Modules &amp; Kits</a>	intern	natürliche Links
<a href="#">Wi-Fi Antennas &amp; Cables</a>	intern	natürliche Links
<a href="#">LoRa/LoRaWAN</a>	intern	natürliche Links
<a href="#">Industrial Wireless</a>	intern	natürliche Links
<a href="#">Cellular Routers &amp; Modems</a>	intern	natürliche Links
<a href="#">Sensor Controllers</a>	intern	natürliche Links
<a href="#">Security Controllers</a>	intern	natürliche Links
<a href="#">Sensors for Controllers</a>	intern	natürliche Links
<a href="#">Wireless Sensors &amp; Gateway</a>	intern	natürliche Links
<a href="#">Wired Modules</a>	intern	natürliche Links
<a href="#">Chips</a>	intern	natürliche Links
<a href="#">Wireless Modules</a>	intern	natürliche Links
<a href="#">Development Kits</a>	intern	natürliche Links
<a href="#">Serial Wireless</a>	intern	natürliche Links
<a href="#">Serial to Ethernet</a>	intern	natürliche Links

## In-page links

<a href="#">Serial to USB</a>	intern	natürliche Links
<a href="#">RS485 &amp; RS422</a>	intern	natürliche Links
<a href="#">Other Converters</a>	intern	natürliche Links
<a href="#">Industrial Routers &amp; Gateways</a>	intern	natürliche Links
<a href="#">Cables, Connectors &amp; Terminators</a>	intern	natürliche Links
<a href="#">Diagnostic Tools</a>	intern	natürliche Links
<a href="#">Repeaters, Hubs &amp; Switches</a>	intern	natürliche Links
<a href="#">Chips &amp; Development Kits</a>	intern	natürliche Links
<a href="#">ComBricks</a>	intern	natürliche Links
<a href="#">PROFIBUS Wireless</a>	intern	natürliche Links
<a href="#">DATAEAGLE</a>	intern	natürliche Links
<a href="#">PROFIBUS</a>	intern	natürliche Links
<a href="#">Modbus / Modbus TCP</a>	intern	natürliche Links
<a href="#">PROFINET</a>	intern	natürliche Links
<a href="#">EtherNet/IP</a>	intern	natürliche Links
<a href="#">CANOpen</a>	intern	natürliche Links
<a href="#">DeviceNet</a>	intern	natürliche Links
<a href="#">EtherCat</a>	intern	natürliche Links
<a href="#">Data Highway</a>	intern	natürliche Links
<a href="#">IO-Link</a>	intern	natürliche Links
<a href="#">Other Protocols</a>	intern	natürliche Links
<a href="#">IP Intercom Software</a>	intern	natürliche Links
<a href="#">Call Stations</a>	intern	natürliche Links
<a href="#">IoT Smart Devices</a>	intern	natürliche Links
<a href="#">IIoT Sensors &amp; Gateways</a>	intern	natürliche Links
<a href="#">Protocols</a>	intern	natürliche Links
<a href="#">Services</a>	intern	natürliche Links
<a href="#">Custom/OEM Product Engineering</a>	intern	natürliche Links

## In-page links

<a href="#">Complete Development Partner</a>	intern	natürliche Links
<a href="#">Complete End-to-End IoT Solutions</a>	intern	natürliche Links
<a href="#">Manufacturers</a>	intern	natürliche Links
<a href="#">Grid Connect</a>	intern	natürliche Links
<a href="#">AKCP</a>	intern	natürliche Links
<a href="#">Anybus Diagnostics / PROCENTEC</a>	intern	natürliche Links
<a href="#">ATC</a>	intern	natürliche Links
<a href="#">ATOP Technologies</a>	intern	natürliche Links
<a href="#">Chiyu Technology</a>	intern	natürliche Links
<a href="#">Contemporary Controls</a>	intern	natürliche Links
<a href="#">CSS Electronics</a>	intern	natürliche Links
<a href="#">Deutschmann Automation</a>	intern	natürliche Links
<a href="#">Digital Acoustics</a>	intern	natürliche Links
<a href="#">emotas embedded communication</a>	intern	natürliche Links
<a href="#">Equustek Solutions</a>	intern	natürliche Links
<a href="#">Espressif</a>	intern	natürliche Links
<a href="#">Ixxat</a>	intern	natürliche Links
<a href="#">Lantronix</a>	intern	natürliche Links
<a href="#">NETIO</a>	intern	natürliche Links
<a href="#">PEAK-System</a>	intern	natürliche Links
<a href="#">Profichip</a>	intern	natürliche Links
<a href="#">RAKwireless Technology</a>	intern	natürliche Links
<a href="#">Real Time Automation</a>	intern	natürliche Links
<a href="#">Schildknecht AG</a>	intern	natürliche Links
<a href="#">TEConcept</a>	intern	natürliche Links
<a href="#">Teltonika Networks</a>	intern	natürliche Links
<a href="#">Support</a>	intern	natürliche Links
<a href="#">About us</a>	intern	natürliche Links

## In-page links


<a href="#">Contact</a>	intern	natürliche Links
<a href="#">Request a Quote</a>	intern	natürliche Links
<a href="#">Login</a>	intern	natürliche Links
<a href="#">Explore Custom Engineering Solutions</a>	extern	natürliche Links
<a href="#">Skip Shop By Category</a>	intern	natürliche Links
<a href="#">CAN</a>	intern	natürliche Links
<a href="#">Wireless</a>	intern	natürliche Links
<a href="#">IoT Smart Devices</a>	intern	natürliche Links
<a href="#">Serial</a>	intern	natürliche Links
<a href="#">Ethernet</a>	intern	natürliche Links
<a href="#">PROFIBUS</a>	intern	natürliche Links
<a href="#">Sensors &amp; Controllers</a>	intern	natürliche Links
<a href="#">IP Intercoms</a>	intern	natürliche Links
<a href="#">OEM Chips &amp; Modules</a>	intern	natürliche Links
<a href="#">Skip Product List</a>	intern	natürliche Links
<a href="#">Find Out How</a>	extern	natürliche Links
<a href="#">Talk to an Expert</a>	extern	natürliche Links
<a href="#">Skip Recent News to Footer</a>	intern	natürliche Links
<a href="#">Introducing GRID485: A Smarter Way to Bridge Serial to Ethernet</a>	intern	natürliche Links
<a href="#">Enhancing IoT Security: Essential Measures for Protecting Your Devices</a>	intern	natürliche Links
<a href="#">Advanced Remote Monitoring for Industrial Ethernet Networks</a>	intern	natürliche Links
<a href="#">Reload</a>	extern	natürliche Links
<a href="#">free shipping</a>	intern	natürliche Links
<a href="#">Edit Cart</a>	intern	natürliche Links
<a href="#">Closeout Final Sale Items</a>	intern	natürliche Links
<a href="#">Returns</a>	intern	natürliche Links
<a href="#">Shipping</a>	intern	natürliche Links



## In-page links

<a href="#">Ordering</a>	intern	natürliche Links
<a href="#">Privacy Policy</a>	intern	natürliche Links
<a href="#">Terms &amp; Conditions</a>	intern	natürliche Links
<a href="#">Warranty</a>	intern	natürliche Links
<a href="#">Customer Reviews</a>	intern	natürliche Links
<a href="#">Price Match Guarantee</a>	extern	natürliche Links
<a href="#">Blog</a>	intern	natürliche Links
<a href="#">Certifications</a>	intern	natürliche Links



## SEO Suchbegriffe

 Suchbegriffswolke	see back industrial <b>products</b> chips iot all <b>wireless</b> serial ethernet
--	--




## Keywords Consistency

Suchbegriff	Inhalt	Seitentitel	Suchbegriffe	Seitenbeschreibung	Überschriften
products	22	✓	✗	✓	✓
wireless	16	✗	✗	✓	✓
industrial	13	✗	✗	✗	✓
back	13	✗	✗	✗	✗
see	13	✗	✗	✗	✗


## Benutzerfreundlichkeit

 URL	Domain : connectsense.com Länge : 16
 Favoriten Icon	Nicht so gut. Wir haben kein Favicon gefunden. Diese kleinen Symbole sind ein einfaches Mittel, um Besucher auf Ihre Webseite zu ziehen und die Webseitengeschwindigkeit zu steigern, denn jeder Browser fragt beim Aufruf Ihrer Webseite das Favicon ab.



## Benutzerfreundlichkeit

	Druckeigenschaften	Es konnten keine druckfreundlichen CSS-Angaben gefunden werden.
	Sprache	Gut, denn Sie haben in den META-Elementen eine Sprache deklariert: en.
	Dublin Core	Diese Webseite nutzt nicht die Vorteile der Dublin Core Elemente.

## Dokument

	Doctype	HTML 5
	Verschlüsselung	Perfekt, denn Ihre Webseite deklariert einen Zeichensatz: UTF-8.
	W3C Validität	Fehler : 0 Warnungen : 0
	E-Mail Datenschutz	Sehr gut, denn es wurde keine E-Mail Adresse im Klartext auf Ihrer Webseite gefunden.
	Veraltetes HTML	Sehr gut! Sie verwenden aktuelle HTML Tags in Ihrem Webseitenquelltext.
	Tipps zur Webseitengeschwindigkeit	<ul style="list-style-type: none"><li> Sehr gut, denn Ihre Webseite benutzt keine verschachtelten Tabellen.</li><li> Schlecht, denn es wurden CSS-Angaben in HTML-Elementen entdeckt. Diese Angaben sollten in ein entsprechendes CSS-Stylesheet verlagert werden.</li><li> Gut, denn Ihre Webseite enthält nur wenig CSS-Dateien.</li><li> Nicht so gut, denn Ihre Webseite enthält viele Javascript-Dateien (mehr als 6).</li><li> Ihre Webseite nutzt die Vorteile von gzip nicht.</li></ul>




## Mobile

	Mobile Optimierung	<ul style="list-style-type: none"><li> Apple Icon</li></ul>
---	--------------------	--

## Mobile

- ✓ META Viewport Tag
- ✓ Flash Inhalt

## Optimierung

	XML-Sitemap	Perfekt! Ihre Seite hat eine XML-Sitemap. <code>https://www.gridconnect.com/sitemap.xml</code>
	Robots.txt	<code>http://connectsense.com/robots.txt</code> Sehr gut! Ihre Webseite enthält eine robots.txt-Datei.
	Analytics	Fehlt Wir haben nicht ein Analyse-Tool auf dieser Website installiert zu erkennen. Webanalyse erlaubt die Quantifizierung der Besucherinteraktionen mit Ihrer Seite. Insofern sollte zumindest ein Analysetool installiert werden. Um die Befunde abzusichern, empfiehlt sich das parallele Verwenden eines zweiten Tools.