

Website review connectsense.com

Generated on September 20 2024 05:19 AM

The score is 52/100

 Fault conclusions;
 Annotation of conclusion of concrete linear data, or investmenting over constants, and concrete linear data;



SEO Content

\bigcirc	Title	Grid Connect: Your networking products authority.				
-		Length : 49				
		Perfect, your title c	ontains between 10 and 70 characters.			
<u>_</u>	Description	Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth Length : 236				
			description should contain between 70 and 160 included). Use <u>this free tool</u> to calculate text length.			
\bigotimes	Keywords	-	n't found meta keywords on your page. Use <u>this free</u> enerator to create keywords.			
	Og Meta Properties	Good, your page take advantage of Og Properties.				
		Property	Content			
		site_name	Grid Connect			
		url	https://www.gridconnect.com/			
		title	Grid Connect: Your networking products authority.			
		type	website			
		description	Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth			

SEO Content

	image		_10f698e5-7	6b2-4f8e-9	305-cac5b	shop/files/logo 6ab1f81.png? 56449209&wi
	image:se	cure_url	o_10f698e5-	76b2-4f8e- 28&pad_col	9305-cac5	/shop/files/log b6ab1f81.pn 1656449209&
	image:wie	dth	1200			
	image:he		628			
	inage.ne	igne	020			
Headings	H1 1	H2 30	H3 28	H4 12	H5 0	H6 0
	• [H] • [H]	2] CAN 2] Ethern 2] Ethern 2] Wireles 2] Sensor 2] Comple 2] PROFIE 2] Industr 2] PROFIE 2] Industr 2] Custon 2] Comple 2] Comple	ss s & Controller onents / Chips BUS Products rial Protocols rcoms & Pagin OT n/OEM Product ete End-to-End n/OEM Products ete End-to-End y Category ed Products n IoT to Fit You orld application ustom engineed d by customer t News to Cart or t ces e 10% off you ss art Devices et	s Ig systems t Engineerir ent Partner d IoT Solutio t Engineerir ent Partner d IoT Solutio ur Needs on experts ering & mar 's worldwide	ng ons ng ons nufacturing	

SEO Content

		 [H3] IP Intercoms [H3] OEM Chips & Modules [H3] PCAN-MicroMod FD ECU - Universal, Configurable Control Unit, I/O & CAN FD [H3] GRID45 with EtherNet/IP Extended Temperature [H3] GRID45 vith EtherNet/IP Extended Temperature [H3] GRID45 vith EtherNet/IP Extended Temperature [H3] GRID45 Plus - Industrial Diagnostic Solution [H3] CANnector L & LE - Configurable automotive platform (8xCAN, EtherCAT option) [H3] Rebooter - Constantly Monitor Internet Connections [H3] GRID485 Serial Tunnel - Ethernet to R5485/422 Device Server [H3] GRID485-MB - Modbus TCP to Modbus RTU/ASCII R5485 Device Server [H3] GRID485-MB - Modbus TCP to Modbus RTU/ASCII R5485 Redundancy [H3] ESP32-WROVER-E - WI-FI/BT/BLE Module, PCB Antenna [H3] ProfiHub B2FOR+ - Fiber Optic Ring with R5485 Redunancy [H3] ProfiHub B4FOR+ - Fiber Optic Ring with R5485 Redunancy [H3] [H3] Enhancing IoT Security: Essential Measures for Protecting Your Devices [H3] Advanced Remote Monitoring for Industrial Ethernet Networks [H3] Title [H4] Jumpstarting smart technology [H4] Detecting mechanical degradation [H4] Monitoring real-time performance [H4] Anywhere control of the home environment [H4] Smart home technology integration [H4] New sophistication for low tech products [H4] Meeting production deadlines [H4] Meeting demand for smart home technology [H4] Deleashing smart power [H4] Developing feature requests [H4] Meeting demand for smart home technology [H4] Enhancing product and customer experience [H4] Features to help customers save water and time
8	Images	We found 105 images on this web page. 75 alt attributes are empty or missing. Add alternative text so that search engines can better understand the content of your images.
8	Text/HTML Ratio	Ratio : 14% This page's ratio of text to HTML code is below 15 percent, this means that your website probably needs more text content.
0	Flash	Perfect, no Flash content has been detected on this page.

SEO Content

\bigcirc	lframe	Great, there are no Iframes detected on this page.		
		SEO Links		
0	URL Rewrite	Good. Your links looks friendly!		
\bigcirc	Underscores in the URLs	Perfect! No underscores detected in your URLs.		
0	In-page links	We found a total of 125 links including 1 link(s) to files		
0	Statistics	External Links : noFollow 0% External Links : Passing Juice 4% Internal Links 96%		

Anchor	Туре	Juice
Skip navigation	Internal	Passing Juice
Products	Internal	Passing Juice
CAN FD	Internal	Passing Juice
PC Interfaces	Internal	Passing Juice
<u>PC/104 & PCI/104 CARDS</u>	Internal	Passing Juice
Couplers & Converters	Internal	Passing Juice
I/O Modules	Internal	Passing Juice
Routers & Gateways	Internal	Passing Juice
<u>Diagnostics</u>	Internal	Passing Juice
Software	Internal	Passing Juice
Cables & Connectors & Terminators	Internal	Passing Juice

CAN Data Logging	Internal	Passing Juice
Adapters	Internal	Passing Juice
Bridges	Internal	Passing Juice
Switches	Internal	Passing Juice
<u>Power Over Ethernet</u>	Internal	Passing Juice
<u>IP Intercom</u>	Internal	Passing Juice
Speakers & Call Stations	Internal	Passing Juice
Adapters & Device Servers	Internal	Passing Juice
Chips & Modules & Kits	Internal	Passing Juice
<u>Wi-Fi Antennas & Cables</u>	Internal	Passing Juice
LoRa/LoRaWAN	Internal	Passing Juice
Industrial Wireless	Internal	Passing Juice
Cellular Routers & Modems	Internal	Passing Juice
Sensor Controllers	Internal	Passing Juice
Security Controllers	Internal	Passing Juice
Sensors for Controllers	Internal	Passing Juice
Wireless Sensors & Gateway	Internal	Passing Juice
Wired Modules	Internal	Passing Juice
<u>Chips</u>	Internal	Passing Juice
Wireless Modules	Internal	Passing Juice
Development Kits	Internal	Passing Juice
Serial Wireless	Internal	Passing Juice
Serial to Ethernet	Internal	Passing Juice
Serial to USB	Internal	Passing Juice
<u>RS485 & RS422</u>	Internal	Passing Juice
Other Converters	Internal	Passing Juice
Industrial Routers & Gateways	Internal	Passing Juice
Cables, Connectors & Terminators	Internal	Passing Juice

Diagnostic Tools	Internal	Passing Juice
Repeaters, Hubs & Switches	Internal	Passing Juice
Chips & Development Kits	Internal	Passing Juice
<u>ComBricks</u>	Internal	Passing Juice
PROFIBUS Wireless	Internal	Passing Juice
DATAEAGLE	Internal	Passing Juice
PROFIBUS	Internal	Passing Juice
<u>Modbus / Modbus TCP</u>	Internal	Passing Juice
PROFINET	Internal	Passing Juice
EtherNet/IP	Internal	Passing Juice
CANOpen	Internal	Passing Juice
<u>DeviceNet</u>	Internal	Passing Juice
EtherCat	Internal	Passing Juice
Data Highway	Internal	Passing Juice
<u>IO-Link</u>	Internal	Passing Juice
Other Protocols	Internal	Passing Juice
IP Intercom Software	Internal	Passing Juice
Call Stations	Internal	Passing Juice
IoT Smart Devices	Internal	Passing Juice
IIoT Sensors & Gateways	Internal	Passing Juice
Protocols	Internal	Passing Juice
Services	Internal	Passing Juice
Custom/OEM Product Engineering	Internal	Passing Juice
Complete Development Partner	Internal	Passing Juice
Complete End-to-End IoT Solutions	Internal	Passing Juice
Manufacturers	Internal	Passing Juice
Grid Connect	Internal	Passing Juice
АКСР	Internal	Passing Juice

Anybus Diagnostics / PROCENTEC	Internal	Passing Juice
ATC	Internal	Passing Juice
ATOP Technologies	Internal	Passing Juice
Chiyu Technology	Internal	Passing Juice
Contemporary Controls	Internal	Passing Juice
CSS Electronics	Internal	Passing Juice
Deutschmann Automation	Internal	Passing Juice
Digital Acoustics	Internal	Passing Juice
emotas embedded communication	Internal	Passing Juice
Equustek Solutions	Internal	Passing Juice
Espressif	Internal	Passing Juice
lxxat	Internal	Passing Juice
<u>Lantronix</u>	Internal	Passing Juice
NETIO	Internal	Passing Juice
PEAK-System	Internal	Passing Juice
Profichip	Internal	Passing Juice
RAKwireless Technology	Internal	Passing Juice
Real Time Automation	Internal	Passing Juice
Schildknecht AG	Internal	Passing Juice
TEConcept	Internal	Passing Juice
Teltonika Networks	Internal	Passing Juice
Support	Internal	Passing Juice
About us	Internal	Passing Juice
Contact	Internal	Passing Juice
Request a Quote	Internal	Passing Juice
Login	Internal	Passing Juice
Explore Custom Engineering Solutions	External	Passing Juice
Skip Shop By Category	Internal	Passing Juice

CAN	Internal	Passing Juice
<u>Wireless</u>	Internal	Passing Juice
loT Smart Devices	Internal	Passing Juice
<u>Serial</u>	Internal	Passing Juice
Ethernet	Internal	Passing Juice
PROFIBUS	Internal	Passing Juice
Sensors & Controllers	Internal	Passing Juice
IP Intercoms	Internal	Passing Juice
OEM Chips & Modules	Internal	Passing Juice
Skip Product List	Internal	Passing Juice
Find Out How	External	Passing Juice
Talk to an Expert	External	Passing Juice
Skip Recent News to Footer	Internal	Passing Juice
Introducing GRID485: A Smarter Way to Bridge Serial to Ethernet	Internal	Passing Juice
Enhancing IoT Security: Essential Measures for Protecting Your Devices	Internal	Passing Juice
<u>Advanced Remote Monitoring for Industrial Ethernet</u> <u>Networks</u>	Internal	Passing Juice
Reload	External	Passing Juice
free shipping	Internal	Passing Juice
Edit Cart	Internal	Passing Juice
Closeout Final Sale Items	Internal	Passing Juice
Returns	Internal	Passing Juice
Shipping	Internal	Passing Juice
Ordering	Internal	Passing Juice
Privacy Policy	Internal	Passing Juice
Terms & Conditions	Internal	Passing Juice
Warranty	Internal	Passing Juice
<u>Customer Reviews</u>	Internal	Passing Juice

Price Match Guarantee	External	Passing Juice
Blog	Internal	Passing Juice
Certifications	Internal	Passing Juice

SEO Keywords

Keywords Cloud	ethernet see iot chips industrial seria			
	products all back wireless			

Keywords Consistency

Keyword	Content	Title	Keywords	Descripti on	Headings
products	22	×	×	×	¥
wireless	16	×	×	×	*
industrial	13	×	×	×	×
back	13	×	×	×	×
see	13	×	×	×	×

Usability

0	Url	Domain : connectsense.com Length : 16
	Favicon	Very bad. We have not found shortcut icon. Icons are one of easy ways to attract regular visitors to your website more often.
8	Printability	We could not find a Print-Friendly CSS.
0	Language	Good. Your declared language is en.
⊗	Dublin Core	This page does not take advantage of Dublin Core.

Usability

Document

0	Doctype	HTML 5	
\bigcirc	Encoding	Perfect. Your declared charset is UTF-8.	
	W3C Validity	Errors : 0 Warnings : 0	
0	Email Privacy	Great no email address has been found in plain text!	
0	Deprecated HTML	Great! We haven't found deprecated HTML tags in your HTML.	
0	Speed Tips	 Excellent, your website doesn't use nested tables. Too bad, your website is using inline styles. Great, your website has few CSS files. Too bad, your website has too many JS files (more than 6). Too bad, your website does not take advantage of gzip. 	

Mobile

0	Mobile Optimization	×	Apple Icon
		•	Meta Viewport Tag
		*	Flash content

Optimization

\bigcirc	XML Sitemap	Great, your website has an XML sitemap.
		https://www.gridconnect.com/sitemap.xml
0	Robots.txt	http://connectsense.com/robots.txt Great, your website has a robots.txt file.

Optimization

\bigotimes	Analytics	Missing
~		We didn't detect an analytics tool installed on this website.
		Web analytics let you measure visitor activity on your website. You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.