



Evaluation du site connectsense.com

Généré le 20 Septembre 2024 07:43

Le score est de 52/100



Optimisation du contenu

	Titre	<p>Grid Connect: Your networking products authority.</p> <p>Longueur : 49</p> <p>Parfait, votre titre contient entre 10 et 70 caractères.</p>												
	Description	<p>Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth</p> <p>Longueur : 236</p> <p>Idéalement, votre balise META description devrait contenir entre 70 et 160 caractères (espaces compris). Utilisez cet outil gratuit pour calculer la longueur du texte.</p>												
	Mots-clefs	<p>Très mauvais. Nous n'avons pas trouvé de balise META keywords sur votre page. Utilisez ce générateur gratuit de balises META en ligne pour créer des mots-clés.</p>												
	Propriétés Open Graph	<p>Bien, cette page profite des balises META Open Graph.</p> <table border="1" data-bbox="544 1451 1481 2078"> <thead> <tr> <th>Propriété</th> <th>Contenu</th> </tr> </thead> <tbody> <tr> <td>site_name</td> <td>Grid Connect</td> </tr> <tr> <td>url</td> <td>https://www.gridconnect.com/</td> </tr> <tr> <td>title</td> <td>Grid Connect: Your networking products authority.</td> </tr> <tr> <td>type</td> <td>website</td> </tr> <tr> <td>description</td> <td>Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth</td> </tr> </tbody> </table>	Propriété	Contenu	site_name	Grid Connect	url	https://www.gridconnect.com/	title	Grid Connect: Your networking products authority.	type	website	description	Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth
Propriété	Contenu													
site_name	Grid Connect													
url	https://www.gridconnect.com/													
title	Grid Connect: Your networking products authority.													
type	website													
description	Grid Connect, Expert Support, Industry-Leading networking products, and Superior Customer Service, Network Products, Chips, Wireless Modules, IOT, WiFi 802.11, PROFIBUS, CAN, MODBUS, Serial to Ethernet, Ethernet, Sensors, USB, Bluetooth													

Optimisation du contenu



image	http://www.gridconnect.com/cdn/shop/files/logo_10f698e5-76b2-4f8e-9305-cac5b6ab1f81.png?height=628&pad_color=fff&v=1656449209&width=1200
image:secure_url	https://www.gridconnect.com/cdn/shop/files/logo_10f698e5-76b2-4f8e-9305-cac5b6ab1f81.png?height=628&pad_color=fff&v=1656449209&width=1200
image:width	1200
image:height	628

Niveaux de titre



H1	H2	H3	H4	H5	H6
1	30	28	12	0	0

- [H1] Engineering your optimal network solution
- [H2] CAN
- [H2] Ethernet
- [H2] Wireless
- [H2] Sensors & Controllers
- [H2] Components / Chips
- [H2] Serial
- [H2] PROFIBUS Products
- [H2] Industrial Protocols
- [H2] IP Intercoms & Paging systems
- [H2] IOT / IIOT
- [H2] Custom/OEM Product Engineering
- [H2] Complete Development Partner
- [H2] Complete End-to-End IoT Solutions
- [H2] Custom/OEM Product Engineering
- [H2] Complete Development Partner
- [H2] Complete End-to-End IoT Solutions
- [H2] Shop by Category
- [H2] Featured Products
- [H2] Custom IoT to Fit Your Needs
- [H2] Real-world application experts
- [H2] Your custom engineering & manufacturing partner
- [H2] Trusted by customers worldwide
- [H2] Recent News
- [H2] Added to Cart
- [H2] Shop for
- [H2] Support
- [H2] Grid Connect
- [H2] Resources
- [H2] Social
- [H2] Receive 10% off your next web order when you subscribe
- [H3] CAN
- [H3] Wireless
- [H3] IoT Smart Devices
- [H3] Serial
- [H3] Ethernet
- [H3] PROFIBUS
- [H3] Sensors & Controllers





Optimisation du contenu

		<ul style="list-style-type: none">• [H3] IP Intercoms• [H3] Industrial Protocols• [H3] OEM Chips & Modules• [H3] PCAN-MicroMod FD ECU - Universal, Configurable Control Unit, I/O & CAN FD• [H3] GRID45 with EtherNet/IP Extended Temperature• [H3] Atlas2 Plus - Industrial Diagnostic Solution• [H3] CANnector L & LE - Configurable automotive platform (8xCAN, EtherCAT option)• [H3] Rebooter - Constantly Monitor Internet Connections• [H3] GRID485 Serial Tunnel - Ethernet to RS485/422 Device Server• [H3] GRID485-MB - Modbus TCP to Modbus RTU/ASCII RS485 Device Server• [H3] ProfiHub B2FOR+ - Fiber Optic Ring with RS485 Redundancy• [H3] ESP32-WROVER-E - WI-FI/BT/BLE Module, PCB Antenna• [H3] ProfiHub B4FOR+ - Fiber Optic Ring with RS485 Redunancy• [H3]• [H3]• [H3]• [H3]• [H3] Introducing GRID485: A Smarter Way to Bridge Serial to Ethernet• [H3] Enhancing IoT Security: Essential Measures for Protecting Your Devices• [H3] Advanced Remote Monitoring for Industrial Ethernet Networks• [H3] Title• [H4] Jumpstarting smart technology• [H4] Detecting mechanical degradation• [H4] Monitoring real-time performance• [H4] Anywhere control of the home environment• [H4] Smart home technology integration• [H4] New sophistication for low tech products• [H4] Meeting production deadlines• [H4] Unleashing smart power• [H4] Developing feature requests• [H4] Meeting demand for smart home technology• [H4] Enhancing product and customer experience• [H4] Features to help customers save water and time
	Images	<p>Nous avons trouvé 105 image(s) sur cette page Web.</p> <p>75 attribut(s) alt sont vides ou manquants. Ajouter un texte alternatif permet aux moteurs de recherche de mieux comprendre le contenu de vos images.</p>
	Ratio texte/HTML	<p>Ratio : 14%</p> <p>le ratio de cette page texte/HTML est au-dessous de 15 pour cent, ce qui signifie que votre site manque de contenu textuel.</p>
	Flash	Parfait, aucun contenu FLASH n'a été détecté sur cette page.

Optimisation du contenu

		
	Iframe	Génial, il n'y a pas d'Iframes détectés sur cette page.

Liens

	Réécriture d'URLs	Bien. Vos liens sont optimisés!
	Tiret bas dans les URLs	Parfait! Aucuns soulignements détectés dans vos URLs.
	Liens dans la page	Nous avons trouvé un total de 125 lien(s) dont 1 lien(s) vers des fichiers
	Statistics	Liens externes : noFollow 0% Liens externes : Passing Juice 4% Liens internes 96%

Liens dans la page

Texte d'ancre	Type	Juice
Skip navigation	Interne	Passing Juice
Products	Interne	Passing Juice
CAN FD	Interne	Passing Juice
PC Interfaces	Interne	Passing Juice
PC/104 & PCI/104 CARDS	Interne	Passing Juice
Couplers & Converters	Interne	Passing Juice
I/O Modules	Interne	Passing Juice
Routers & Gateways	Interne	Passing Juice
Diagnostics	Interne	Passing Juice

Liens dans la page

Software	Interne	Passing Juice
Cables & Connectors & Terminators	Interne	Passing Juice
CAN Data Logging	Interne	Passing Juice
Adapters	Interne	Passing Juice
Bridges	Interne	Passing Juice
Switches	Interne	Passing Juice
Power Over Ethernet	Interne	Passing Juice
IP Intercom	Interne	Passing Juice
Speakers & Call Stations	Interne	Passing Juice
Adapters & Device Servers	Interne	Passing Juice
Chips & Modules & Kits	Interne	Passing Juice
Wi-Fi Antennas & Cables	Interne	Passing Juice
LoRa/LoRaWAN	Interne	Passing Juice
Industrial Wireless	Interne	Passing Juice
Cellular Routers & Modems	Interne	Passing Juice
Sensor Controllers	Interne	Passing Juice
Security Controllers	Interne	Passing Juice
Sensors for Controllers	Interne	Passing Juice
Wireless Sensors & Gateway	Interne	Passing Juice
Wired Modules	Interne	Passing Juice
Chips	Interne	Passing Juice
Wireless Modules	Interne	Passing Juice
Development Kits	Interne	Passing Juice
Serial Wireless	Interne	Passing Juice
Serial to Ethernet	Interne	Passing Juice
Serial to USB	Interne	Passing Juice
RS485 & RS422	Interne	Passing Juice
Other Converters	Interne	Passing Juice

Liens dans la page

Industrial Routers & Gateways	Interne	Passing Juice
Cables, Connectors & Terminators	Interne	Passing Juice
Diagnostic Tools	Interne	Passing Juice
Repeaters, Hubs & Switches	Interne	Passing Juice
Chips & Development Kits	Interne	Passing Juice
ComBricks	Interne	Passing Juice
PROFIBUS Wireless	Interne	Passing Juice
DATAEAGLE	Interne	Passing Juice
PROFIBUS	Interne	Passing Juice
Modbus / Modbus TCP	Interne	Passing Juice
PROFINET	Interne	Passing Juice
EtherNet/IP	Interne	Passing Juice
CANOpen	Interne	Passing Juice
DeviceNet	Interne	Passing Juice
EtherCat	Interne	Passing Juice
Data Highway	Interne	Passing Juice
IO-Link	Interne	Passing Juice
Other Protocols	Interne	Passing Juice
IP Intercom Software	Interne	Passing Juice
Call Stations	Interne	Passing Juice
IoT Smart Devices	Interne	Passing Juice
IIoT Sensors & Gateways	Interne	Passing Juice
Protocols	Interne	Passing Juice
Services	Interne	Passing Juice
Custom/OEM Product Engineering	Interne	Passing Juice
Complete Development Partner	Interne	Passing Juice
Complete End-to-End IoT Solutions	Interne	Passing Juice
Manufacturers	Interne	Passing Juice

Liens dans la page

Grid Connect	Interne	Passing Juice
AKCP	Interne	Passing Juice
Anybus Diagnostics / PROCENTEC	Interne	Passing Juice
ATC	Interne	Passing Juice
ATOP Technologies	Interne	Passing Juice
Chiyu Technology	Interne	Passing Juice
Contemporary Controls	Interne	Passing Juice
CSS Electronics	Interne	Passing Juice
Deutschmann Automation	Interne	Passing Juice
Digital Acoustics	Interne	Passing Juice
emotas embedded communication	Interne	Passing Juice
Equustek Solutions	Interne	Passing Juice
Espressif	Interne	Passing Juice
Ixxat	Interne	Passing Juice
Lantronix	Interne	Passing Juice
NETIO	Interne	Passing Juice
PEAK-System	Interne	Passing Juice
Profichip	Interne	Passing Juice
RAKwireless Technology	Interne	Passing Juice
Real Time Automation	Interne	Passing Juice
Schildknecht AG	Interne	Passing Juice
TEConcept	Interne	Passing Juice
Teltonika Networks	Interne	Passing Juice
Support	Interne	Passing Juice
About us	Interne	Passing Juice
Contact	Interne	Passing Juice
Request a Quote	Interne	Passing Juice
Login	Interne	Passing Juice


Liens dans la page

Explore Custom Engineering Solutions	Externe	Passing Juice
Skip Shop By Category	Interne	Passing Juice
CAN	Interne	Passing Juice
Wireless	Interne	Passing Juice
IoT Smart Devices	Interne	Passing Juice
Serial	Interne	Passing Juice
Ethernet	Interne	Passing Juice
PROFIBUS	Interne	Passing Juice
Sensors & Controllers	Interne	Passing Juice
IP Intercoms	Interne	Passing Juice
OEM Chips & Modules	Interne	Passing Juice
Skip Product List	Interne	Passing Juice
Find Out How	Externe	Passing Juice
Talk to an Expert	Externe	Passing Juice
Skip Recent News to Footer	Interne	Passing Juice
Introducing GRID485: A Smarter Way to Bridge Serial to Ethernet	Interne	Passing Juice
Enhancing IoT Security: Essential Measures for Protecting Your Devices	Interne	Passing Juice
Advanced Remote Monitoring for Industrial Ethernet Networks	Interne	Passing Juice
Reload	Externe	Passing Juice
free shipping	Interne	Passing Juice
Edit Cart	Interne	Passing Juice
Closeout Final Sale Items	Interne	Passing Juice
Returns	Interne	Passing Juice
Shipping	Interne	Passing Juice
Ordering	Interne	Passing Juice
Privacy Policy	Interne	Passing Juice
Terms & Conditions	Interne	Passing Juice

Liens dans la page

Warranty	Interne	Passing Juice
Customer Reviews	Interne	Passing Juice
Price Match Guarantee	Externe	Passing Juice
Blog	Interne	Passing Juice
Certifications	Interne	Passing Juice





Mots-clefs

	Nuage de mots-clefs	chips serial ethernet products wireless see industrial back all iot
--	---------------------	--


Cohérence des mots-clefs

Mot-clef	Contenu	Titre	Mots-clefs	Description	Niveaux de titre
products	22	✓	✗	✓	✓
wireless	16	✗	✗	✓	✓
industrial	13	✗	✗	✗	✓
back	13	✗	✗	✗	✗
see	13	✗	✗	✗	✗












Ergonomie

	Url	Domaine : connectsense.com Longueur : 16
	Favicon	Très mauvais. Nous n'avons pas trouvé d'icônes de raccourci. Les icônes sont l'un des moyens faciles d'attirer des visiteurs réguliers plus souvent sur votre site.
	Imprimabilité	Aucun style CSS pour optimiser l'impression n'a pu être trouvé.
	Langue	Bien. Votre langue est : en.





Ergonomie

	Dublin Core	Cette page ne profite pas des métadonnées Dublin Core.
---	-------------	--




Document

	Doctype	HTML 5
	Encodage	Parfait. Votre charset est UTF-8.
	Validité W3C	Erreurs : 0 Avertissements : 0
	E-mail confidentialité	Génial, aucune adresse e-mail n'a été trouvé sous forme de texte!
	HTML obsolètes	Génial! Nous n'avons pas trouvé de balises HTML obsolètes dans votre code.
	Astuces vitesse	<ul style="list-style-type: none"> Excellent, votre site n'utilise pas de tableaux imbriqués. Mauvais, votre site web utilise des styles css inline. Génial, votre site web contient peu de fichiers CSS. Mauvais, votre site web contient trop de fichiers javascript (plus de 6). Dommage, votre site n'est pas optimisé avec gzip.

Mobile

	Optimisation mobile	<ul style="list-style-type: none"> Icône Apple Méta tags viewport Contenu FLASH
---	---------------------	--

Optimisation

	Sitemap XML	Votre site web dispose d'une sitemap XML, ce qui est optimal. https://www.gridconnect.com/sitemap.xml
	Robots.txt	http://connectsense.com/robots.txt Votre site dispose d'un fichier robots.txt, ce qui est optimal.
	Mesures d'audience	Manquant Nous n'avons trouvé aucun outil d'analytics sur ce site. Un outil de mesure d'audience vous permet d'analyser l'activité des visiteurs sur votre site. Vous devriez installer au moins un outil Analytics. Il est souvent utile d'en rajouter un second, afin de confirmer les résultats du premier.