



# Evaluation du site oemheaters.com

Généré le 22 Septembre 2024 02:26




**Le score est de 53/100**







## Optimisation du contenu

	Titre	<p>OEM Heaters - Industrial Electric Heaters</p> <p><b>Longueur : 41</b></p> <p>Parfait, votre titre contient entre 10 et 70 caractères.</p>												
	Description	<p>Industrial process heating systems and components. We pride ourselves on superior application engineering assistance - just a phone call away. Wide variety of products available online.</p> <p><b>Longueur : 185</b></p> <p>Idéalement, votre balise META description devrait contenir entre 70 et 160 caractères (espaces compris). Utilisez <a href="#">cet outil gratuit</a> pour calculer la longueur du texte.</p>												
	Mots-clefs	<p>industrial process heaters, industrial electric heaters and heating elements, process heating systems, heat, heater, cartridge, band, flexible, tape, cable</p> <p>Bien, votre page contient une balise META keywords.</p>												
	Propriétés Open Graph	<p>Cette page ne profite pas des balises META Open Graph. Cette balise permet de représenter de manière riche n'importe quelle page dans le graph social (environnement social). Utilisez <a href="#">ce générateur gratuit de balises META Open Graph</a> pour les créer.</p>												
	Niveaux de titre	<table border="1" data-bbox="528 1599 1481 1682"> <thead> <tr> <th>H1</th> <th>H2</th> <th>H3</th> <th>H4</th> <th>H5</th> <th>H6</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>0</td> <td>0</td> <td>5</td> <td>0</td> </tr> </tbody> </table> <ul data-bbox="614 1713 1305 1944" style="list-style-type: none"> <li>• [H1] Your Web Source for Industrial Electric Heat</li> <li>• [H2] Featured and Popular Products</li> <li>• [H5] Find heaters by...</li> <li>• [H5] GET HEATERS ONLINE</li> <li>• [H5] CONFIGURE &amp; BUY</li> <li>• [H5] GET HELP FROM US</li> <li>• [H5] FIND ANSWERS</li> </ul>	H1	H2	H3	H4	H5	H6	1	1	0	0	5	0
H1	H2	H3	H4	H5	H6									
1	1	0	0	5	0									
	Images	<p>Nous avons trouvé 15 image(s) sur cette page Web.</p> <p>Bien, la plupart ou la totalité de vos images possèdent un attribut alt</p>												

## Optimisation du contenu

	Ratio texte/HTML	Ratio : <b>19%</b>  Bien, le ratio de cette page texte/HTML est supérieur à 15, mais inférieur à 25 pour cent.
	Flash	Parfait, aucun contenu FLASH n'a été détecté sur cette page.
	Iframe	Génial, il n'y a pas d'Iframes détectés sur cette page.

## Liens

	Réécriture d'URLs	Bien. Vos liens sont optimisés!
	Tiret bas dans les URLs	Parfait! Aucuns soulignements détectés dans vos URLs.
	Liens dans la page	Nous avons trouvé un total de 200 lien(s) dont 0 lien(s) vers des fichiers
	Statistics	Liens externes : noFollow 0%  Liens externes : Passing Juice 0.5%  Liens internes 99.5%

## Liens dans la page

Texte d'ancre	Type	Juice
<a href="#">Account</a>	Interne	Passing Juice
<a href="#">Login</a>	Interne	Passing Juice
<a href="#">Get in Touch Online</a>	Interne	Passing Juice
<a href="#">&amp;#171;&amp;#160;Close</a>	Externe	Passing Juice
<a href="#">Browse Full Online Catalog</a>	Interne	Passing Juice
<a href="#">Warehouse Clearance SALE</a>	Interne	Passing Juice
<a href="#">12- and 24-Volt Heaters</a>	Interne	Passing Juice

## Liens dans la page

<a href="#">Accessories</a>	Interne	Passing Juice
<a href="#">Air Process Heaters</a>	Interne	Passing Juice
<a href="#">Cartridge Heaters</a>	Interne	Passing Juice
<a href="#">Coil and Nozzle Heaters</a>	Interne	Passing Juice
<a href="#">Controls</a>	Interne	Passing Juice
<a href="#">Etched Foil Heaters</a>	Interne	Passing Juice
<a href="#">Flexible Heating Solutions</a>	Interne	Passing Juice
<a href="#">Heat Trace Cable</a>	Interne	Passing Juice
<a href="#">Heated Hoses</a>	Interne	Passing Juice
<a href="#">Heating Jackets</a>	Interne	Passing Juice
<a href="#">Immersion Heaters</a>	Interne	Passing Juice
<a href="#">Inline Liquid Heaters</a>	Interne	Passing Juice
<a href="#">Kapton® Polyimide Heaters</a>	Interne	Passing Juice
<a href="#">Thermocouples</a>	Interne	Passing Juice
<a href="#">Tubular Heaters</a>	Interne	Passing Juice
<a href="#">Asphalt and Concrete</a>	Interne	Passing Juice
<a href="#">Condensation Prevention</a>	Interne	Passing Juice
<a href="#">Diesel Engine Freeze Prevention</a>	Interne	Passing Juice
<a href="#">Enclosure Heating (includes wattage calculator)</a>	Interne	Passing Juice
<a href="#">Engine Component Heating</a>	Interne	Passing Juice
<a href="#">Flow Viscosity Control</a>	Interne	Passing Juice
<a href="#">Food and Cosmetics Processing</a>	Interne	Passing Juice
<a href="#">Freeze Protection</a>	Interne	Passing Juice
<a href="#">Gas Handling and Processing</a>	Interne	Passing Juice
<a href="#">Hydraulic Systems</a>	Interne	Passing Juice
<a href="#">Injection Molding</a>	Interne	Passing Juice
<a href="#">Laboratory Uses</a>	Interne	Passing Juice
<a href="#">Pipelines</a>	Interne	Passing Juice

## Liens dans la page

<a href="#">Roof and Gutter Deicing (includes length calculator)</a>	Interne	Passing Juice
<a href="#">Process Temperature Control</a>	Interne	Passing Juice
<a href="#">Water and Wastewater Treatment</a>	Interne	Passing Juice
<a href="#">Band Heater Configurator</a>	Interne	Passing Juice
<a href="#">Cartridge Heater Configurator</a>	Interne	Passing Juice
<a href="#">Silicone Rubber Heater Configurator</a>	Interne	Passing Juice
<a href="#">Thermocouple Configurator &amp;#150; Standard</a>	Interne	Passing Juice
<a href="#">Thermocouple Configurator &amp;#150; Plastics Industry</a>	Interne	Passing Juice
<a href="#">About Our Configurators</a>	Interne	Passing Juice
<a href="#">Wattage Calculator: Immersion Heaters</a>	Interne	Passing Juice
<a href="#">Wattage Calculator: Heating Cable</a>	Interne	Passing Juice
<a href="#">Lead Times</a>	Interne	Passing Juice
<a href="#">Who We Are</a>	Interne	Passing Juice
<a href="#">Custom Heater Case Studies</a>	Interne	Passing Juice
<a href="#">Our Hours and Location</a>	Interne	Passing Juice
<a href="#">Band Heaters</a>	Interne	Passing Juice
<a href="#">Cartridge Heaters</a>	Interne	Passing Juice
<a href="#">Silicone Rubber Heaters</a>	Interne	Passing Juice
<a href="#">12V and 24V Silicone Rubber Heaters</a>	Interne	Passing Juice
<a href="#">Freezstop 12- and 24V Heat Cable</a>	Interne	Passing Juice
<a href="#">Heat Cable Termination Kits/Accessories</a>	Interne	Passing Juice
<a href="#">Heat Cable Connection and Termination Kits</a>	Interne	Passing Juice
<a href="#">Heat Cable Accessories</a>	Interne	Passing Juice
<a href="#">Labels</a>	Interne	Passing Juice
<a href="#">Thermal Protectors for Immersion Heaters</a>	Interne	Passing Juice
<a href="#">Replaceable Thermal Protectors</a>	Interne	Passing Juice
<a href="#">Resettable Thermal Protectors</a>	Interne	Passing Juice
<a href="#">Standard Air Heaters</a>	Interne	Passing Juice

## Liens dans la page

<a href="#">Clean Air (Mini Circulation) Heaters</a>	Interne	Passing Juice
<a href="#">Heavy-Duty Air Heaters</a>	Interne	Passing Juice
<a href="#">Maximum Flow Air Heaters</a>	Interne	Passing Juice
<a href="#">Low and Mid Watt Density</a>	Interne	Passing Juice
<a href="#">1/8" Diameter (0.125")</a>	Interne	Passing Juice
<a href="#">5/32" Diameter (.156")</a>	Interne	Passing Juice
<a href="#">3/16" Diameter (0.1875")</a>	Interne	Passing Juice
<a href="#">1/4" Diameter (0.25")</a>	Interne	Passing Juice
<a href="#">3/8" Diameter (0.375")</a>	Interne	Passing Juice
<a href="#">1/2" Diameter (0.50")</a>	Interne	Passing Juice
<a href="#">5/8" Diameter (0.625")</a>	Interne	Passing Juice
<a href="#">3/4" Diameter (0.75")</a>	Interne	Passing Juice
<a href="#">High Watt Density</a>	Interne	Passing Juice
<a href="#">1/4" Diameter (0.25")</a>	Interne	Passing Juice
<a href="#">3/8" Diameter (0.375")</a>	Interne	Passing Juice
<a href="#">1/2" Diameter (0.50")</a>	Interne	Passing Juice
<a href="#">5/8" Diameter (0.625")</a>	Interne	Passing Juice
<a href="#">3/4" Diameter (0.75")</a>	Interne	Passing Juice
<a href="#">Immersion Cartridge Heaters</a>	Interne	Passing Juice
<a href="#">Built-to-Order Coil Heaters</a>	Interne	Passing Juice
<a href="#">Kappa Series Nozzle Heaters</a>	Interne	Passing Juice
<a href="#">DC Controls</a>	Interne	Passing Juice
<a href="#">SoliStat™ DC Thermostats</a>	Interne	Passing Juice
<a href="#">Controls for Immersion Heaters</a>	Interne	Passing Juice
<a href="#">Metal Flange and Screwplug Heater Controls</a>	Interne	Passing Juice
<a href="#">Digital (Indicating) Heater Controls</a>	Interne	Passing Juice
<a href="#">Controls for AC Heating Cables</a>	Interne	Passing Juice
<a href="#">Heat Trace Cable</a>	Interne	Passing Juice

## Liens dans la page

<a href="#">SpeedTrace Freeze Prevention Cable</a>	Interne	Passing Juice
<a href="#">SpeedTrace Pipe Freeze Prevention Kit</a>	Interne	Passing Juice
<a href="#">SpeedTrace Roof &amp; Gutter Snowmelt Kit</a>	Interne	Passing Juice
<a href="#">Standard SpeedTrace Cable</a>	Interne	Passing Juice
<a href="#">SpeedTrace Extreme Heating Cable</a>	Interne	Passing Juice
<a href="#">Kapton® Polyimide Heaters</a>	Interne	Passing Juice
<a href="#">Silicone Rubber Heaters</a>	Interne	Passing Juice
<a href="#">Etched Foil Silicone Heaters</a>	Interne	Passing Juice
<a href="#">Hazardous-Area Silicone Rubber Heating Blankets</a>	Interne	Passing Juice
<a href="#">SRL Series (2.5W/in<sup>2</sup>)</a>	Interne	Passing Juice
<a href="#">SRP Series (1.25W/in<sup>2</sup>)</a>	Interne	Passing Juice
<a href="#">TSREH Enclosure Heaters</a>	Interne	Passing Juice
<a href="#">Wire-Wound Silicone</a>	Interne	Passing Juice
<a href="#">SpeedTrace Freeze Prevention Cable</a>	Interne	Passing Juice
<a href="#">SpeedTrace Pipe Freeze Prevention Kit</a>	Interne	Passing Juice
<a href="#">SpeedTrace Roof &amp; Gutter Snowmelt Kit</a>	Interne	Passing Juice
<a href="#">Standard SpeedTrace Cable</a>	Interne	Passing Juice
<a href="#">SpeedTrace Extreme Heating Cable</a>	Interne	Passing Juice
<a href="#">Cloth Heating Jacket Systems</a>	Interne	Passing Juice
<a href="#">IntelliThaw® Engine Component Heaters</a>	Interne	Passing Juice
<a href="#">Over-the-Side Heaters</a>	Interne	Passing Juice
<a href="#">PTFE Heaters</a>	Interne	Passing Juice
<a href="#">HX Series Spiral</a>	Interne	Passing Juice
<a href="#">HXF Series - Low-Profile</a>	Interne	Passing Juice
<a href="#">HXFL Series - Low-Profile L-Shaped</a>	Interne	Passing Juice
<a href="#">HXL Series - Spiral L-Shaped</a>	Interne	Passing Juice
<a href="#">HXO Series</a>	Interne	Passing Juice
<a href="#">3HXO Multi-Element Heaters</a>	Interne	Passing Juice

## Liens dans la page

<a href="#">3HX Three-Element Heaters</a>	Interne	Passing Juice
<a href="#">6HX Six-Element Heaters</a>	Interne	Passing Juice
<a href="#">9HX Nine-Element Heaters</a>	Interne	Passing Juice
<a href="#">HXOL Flex Riser Series</a>	Interne	Passing Juice
<a href="#">HXRL Flex Riser Series</a>	Interne	Passing Juice
<a href="#">HXSL Flex Riser Series</a>	Interne	Passing Juice
<a href="#">3HXOL Series</a>	Interne	Passing Juice
<a href="#">Varipower Heaters</a>	Interne	Passing Juice
<a href="#">Metal Heaters</a>	Interne	Passing Juice
<a href="#">Small Tank Heaters</a>	Interne	Passing Juice
<a href="#">Single-Tube</a>	Interne	Passing Juice
<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">Derated Single-Tube</a>	Interne	Passing Juice
<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">Triple-Tube</a>	Interne	Passing Juice
<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">Derated Triple-Tube</a>	Interne	Passing Juice
<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">304 Stainless Steel</a>	Interne	Passing Juice
<a href="#">316 Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">L-Shaped Single-Tube</a>	Interne	Passing Juice

## Liens dans la page

<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">Derated L-Shaped Single-Tube</a>	Interne	Passing Juice
<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">L-Shaped Triple-Tube</a>	Interne	Passing Juice
<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">Derated L-Shaped Triple-Tube</a>	Interne	Passing Juice
<a href="#">Plain Steel</a>	Interne	Passing Juice
<a href="#">Stainless Steel</a>	Interne	Passing Juice
<a href="#">Titanium</a>	Interne	Passing Juice
<a href="#">Triple-Tube Vertically Stacked L-Shaped</a>	Interne	Passing Juice
<a href="#">Triple-Tube Deep Tank Heaters</a>	Interne	Passing Juice
<a href="#">Three-Element Stainless Steel</a>	Interne	Passing Juice
<a href="#">Six-Element Stainless Steel</a>	Interne	Passing Juice
<a href="#">Nine-Element Stainless Steel</a>	Interne	Passing Juice
<a href="#">316 Stainless Steel Phosphate</a>	Interne	Passing Juice
<a href="#">Varipower Metal</a>	Interne	Passing Juice
<a href="#">Flange Heaters</a>	Interne	Passing Juice
<a href="#">Metal Flange Heaters</a>	Interne	Passing Juice
<a href="#">2" Flange Heaters</a>	Interne	Passing Juice
<a href="#">3" Flange Heaters</a>	Interne	Passing Juice
<a href="#">4" Flange Heaters</a>	Interne	Passing Juice
<a href="#">5" Flange Heaters</a>	Interne	Passing Juice



## Liens dans la page

<a href="#">PTFE Flange Heaters</a>	Interne	Passing Juice
<a href="#">3FLX 3" PTFE Flange Heaters</a>	Interne	Passing Juice
<a href="#">6FLX 6" PTFE Flange Heaters</a>	Interne	Passing Juice
<a href="#">Screwplug Heaters</a>	Interne	Passing Juice
<a href="#">Hairpin Elements</a>	Interne	Passing Juice
<a href="#">2" NPT Screwplug</a>	Interne	Passing Juice
<a href="#">Dual-Element (Single-Phase Only)</a>	Interne	Passing Juice
<a href="#">Triple-Element (Single- or Three-Phase)</a>	Interne	Passing Juice
<a href="#">2.5" NPT Screwplug</a>	Interne	Passing Juice
<a href="#">3" NPT Screwplug</a>	Interne	Passing Juice
<a href="#">Tubular Elements</a>	Interne	Passing Juice
<a href="#">1.25" Small Tank Tubular Screwplug</a>	Interne	Passing Juice
<a href="#">2" NPT Tubular Screwplug</a>	Interne	Passing Juice
<a href="#">Fluoropolymer Spiral Screw Plugs</a>	Interne	Passing Juice
<a href="#">Frontier™ Inline Solvent Heaters</a>	Interne	Passing Juice
<a href="#">Tytan™ Inline Water Heaters</a>	Interne	Passing Juice
<a href="#">Mini Circulation Cartridges</a>	Interne	Passing Juice
<a href="#">Insulated Wire Type Thermocouples</a>	Interne	Passing Juice
<a href="#">Ring Thermocouples</a>	Interne	Passing Juice
<a href="#">Spade Thermocouples</a>	Interne	Passing Juice
<a href="#">Thermocouples with Mini Connectors</a>	Interne	Passing Juice
<a href="#">Straight and Formed Tubular Heaters</a>	Interne	Passing Juice
<a href="#">Finned Tubular Heaters</a>	Interne	Passing Juice
<a href="#">Nextflex Flexible Tubular Heaters</a>	Interne	Passing Juice
<a href="#">Refunds and Exchanges</a>	Interne	Passing Juice

## Mots-clefs

Nuage de mots-clefs

series tubular flange heating **heaters** speedtrace

## Mots-clefs




stainless steel diameter cable

## Cohérence des mots-clefs

Mot-clef	Contenu	Titre	Mots-clefs	Description	Niveaux de titre
heaters	67	✓	✓	✗	✓
steel	21	✗	✗	✗	✗
cable	14	✗	✓	✗	✗
diameter	13	✗	✗	✗	✗
stainless	13	✗	✗	✗	✗

## Ergonomie



Url

Domaine : oemheaters.com  
Longueur : 14



Favicon

Génial, votre site web dispose d'un favicon.



Imprimabilité

Aucun style CSS pour optimiser l'impression n'a pu être trouvé.



Langue

Vous n'avez pas précisé la langue. Utilisez [ce générateur gratuit de balises META en ligne](#) pour préciser la langue de votre site



Dublin Core

Cette page ne profite pas des métadonnées Dublin Core.

## Document



Doctype










HTML 5







Encodage

Parfait. Votre charset est UTF-8.



## Document

	Validité W3C	Erreurs : 0 Avertissements : 0
	E-mail confidentialité	Attention! Au moins une adresse e-mail a été trouvée en texte clair. Utilisez <a href="#">une protection anti-spam gratuite</a> pour cacher vos e-mails aux spammeurs.
	HTML obsolètes	Génial! Nous n'avons pas trouvé de balises HTML obsolètes dans votre code.
	Astuces vitesse	<ul style="list-style-type: none"><li> Excellent, votre site n'utilise pas de tableaux imbriqués.</li><li> Mauvais, votre site web utilise des styles css inline.</li><li> Génial, votre site web contient peu de fichiers CSS.</li><li> Mauvais, votre site web contient trop de fichiers javascript (plus de 6).</li><li> Dommage, votre site n'est pas optimisé avec gzip.</li></ul>

## Mobile

	Optimisation mobile	<ul style="list-style-type: none"><li> Icône Apple</li><li> Méta tags viewport</li><li> Contenu FLASH</li></ul>
---	---------------------	--

## Optimisation

	Sitemap XML	Manquant  Votre site web ne dispose pas d'une sitemap XML, ce qui peut poser problème.  La sitemap recense les URLs que les moteurs de recherche peuvent indexer, tout en proposant d'éventuelles informations supplémentaires (comme la date de dernière mise à jour, la fréquence des changements, ainsi que leur niveau d'importance). Ceci permet aux moteurs de recherche de parcourir le site de façon plus efficace.
	Robots.txt	<a href="http://oemheaters.com/robots.txt">http://oemheaters.com/robots.txt</a>  Votre site dispose d'un fichier robots.txt, ce qui est optimal.

## Optimisation



Mesures d'audience

Votre site web dispose d'une outil d'analytics, ce qui est optimal.



Google Analytics